ومقعمة كالمسترية والمتعارفة والمتعارة والمتحاري والمتحارب والمستري والمتحار والمتحارين والمتحارين والمتحاري

## RECEIVED CENTRAL FAX CENTER

Application No. 09/975,690 Amendment dated December 5, 2007 Reply to Office Action of September 5, 2007

DEC 0 5 2007

Docket No.: NY-THEOR 203-US1

## AMENDMENTS TO THE CLAIMS

(Previously presented) A method of generating code for Enterprise JavaBean 1. (EJB) components from a business process, comprising the steps of:

graphically modeling said business process using a UML drawing tool to provide an UML model having a plurality of EJB Classes;

defining relationships between said plurality of EJB classes;

stereotyping each of said plurality of EJB classes into one or more EJB components;

transforming each of said EJB components into EJB source code; and embedding code markers in said EJB source code to enable subsequent updates to said EJB source code.

- The method of claim 1, further comprising the step of (Previously presented) 2. compiling said EJB source code to generate EJB application in accordance with deployment properties.
- The method of claim 2, further comprising the step of (Previously presented) deploying said EJB application to a server using one of the following: bean managed persistence or container managed persistence.
- The method of claim 1, wherein the step of 4. (Previously presented) stereotyping stereotypes an EJB class into at least one of the following Smart EJB component: Belonging, Session, Entity, Configurable Entity, Business Policy and Workflow.
- The method of claim 4, wherein an Entity EJB (Previously presented) component comprises at least one interface and two EJB classes.

Docket No.: NY-THEOR 203-US1

P. 04

Application No. 09/975,690	
. " tased December 5, 200/	•
Reply to Office Action of September 5, 2	2007
Reply to Omce Action of 54F	

The method of claim 5, wherein said Entity EJB 6. (Previously presented) component being associated with a Primary Key class and a Value class.

Fax: 2123183400

- The method of claim 1, wherein each EJB component 7. (Previously presented) includes at least one of the following: name, stereotype, attribute and method.
  - The method of claim 7, wherein each attribute includes (Previously presented) · · · 8. · a pair of accessor methods.
  - The method of claim 1, wherein said relationships 9. (Previously presented) includes at least one of the following: inheritance and aggregation.
    - The method of claim 9, wherein said aggregation (Previously presented) . . . . . 10. includes multiplicity.
      - The method of claim 10, further comprising the steps 11. (Previously presented) of:

determining if said multiplicity relationship is one to many; and stereotyping said aggregation relationship into a collection type if it is determined that said multiplicity relationship is one to many.

- The method of claim 11, wherein said collection type 12. (Previously presented) includes one of the following: Set, Array, List or Map.
  - The method of claim 1, wherein each EJB component 13. (Previously presented) is a Smart Component having at least one Smart Feature.
  - The method of claim 13, wherein said Smart Feature 14. (Previously presented) includes one of the following: SmartKey, SmartHandle and SmartValue.

Docket No.: NY-THEOR 203-US1

Application No. 09/975,690 Amendment dated December 5, 2007 Reply to Office Action of September 5, 2007

- 15. (Previously presented) The method of claim 1, wherein said Smart component is an eBusiness Smart Component.
- 16. (Previously presented) The method of claim 1, wherein the step of transforming includes the step generating said EJB codes according to a Code Template Dictionary.
  - 17: (Previously presented) The method of claim 16, wherein said Code Template Dictionary includes key-value pair entries.
  - 18. (Previously presented) The method of claim 17, wherein values of said Code
    Template Dictionary represent EJB code templates.
- 19. (Previously presented) The method of claim 1, wherein the step of embedding includes the step of adding business logic code between said code markers.
- 20. (Previously presented) The method of claim 19, further comprising the step of synchronizing said UML model with said business logic code, thereby providing round trip engineering support.